
 WWW.MEHRASL.IR

کارخانجات تولیدی
مهراصل
متخصص تهویه و تبرید

 ۰۲۱ - ۸۳۶۴



MEHRASL
MANUFACTURING CORPORATION

General Catalogue 2022



MA Flex Closed Cell Elastomeric Insulation Materials

- MA Flex TK Sheet Rolls: 1/4"~1 1/4"(single x Double side Smooth)
- MA Flex TK Sheet Rolls with Adhesive:1/4"~1 1/4"



- MA Flex TK Tubes: TA(1/4"~2 5/8")xID(1/4"~3/4")


- Low Finned Tubes: 1/2", 5/8" & 3/4"

- Enhanced Finned Tubes: 1/2", 5/8" & 3/4"

- Inner Grooved Tubes: 3/8", 1/2" & 5/8"

Inner & Outer Grooved Copper Tubes

Copper Tubes




Copper Fittings

- Equal Tee, Equal Coupler, Reducer, Elbow 45°
Elbow 90°, U bend and Trap.



Copper Tubes



- Production Range of Level Wound Coil (LWC):
OD(3mm~19.05mm) x WT (0.30~1.50mm)
- Production Range of Straight Length Tubes:
OD(4mm~79.37mm) x WT (0.30~2.03mm)
- Production Range of Pancake Coil:
OD(4mm~25mm) x WT(0.30~1.50mm)



Mold Chillers

◆ Range: 5 , 10 & 15 RT



Glycol Chillers

◆ Range: 300 to 7400 Kw



Mobile air conditioner

◆ Range: 80, 110 & 120RT



A/C for Transport Applications



Clean Air Charger



Fan Coils



◆ Ceiling model: FCC**S**
Range: 200 to 1200CFM



◆ Luxury Type Model: FCW**S**
Range: 200 to 1000 CFM



◆ Cassette Type Model
Range: 300 to 1000CFM



◆ Fancoil with Cooling & Heating Coils (4-pipes)
Range: 200 to 1200CFM

Window Type A/C

◆ Range: 18000 BTU/Hr



Split Units



استاندارد ایران نشانه
مرغوبیت کلاست

◆ Wall mounted
(9000 to 36000 BTU/Hr)

◆ Floor standing
(48000 BTU/Hr)



Slimline Cooler

◆ 2000W & 3900W



Cooler For Elevator



Split Chiller

◆ 3RT & 5RT

Ducted Split

◆ 28000 to 90000 BTU/Hr
With hot water coil





Cooling Towers

- ◆ Fiber Glass Bodies
10 to 600 RT



- ◆ Hot Deep Galvanized Steel

90 to 750 RT



20 to 1140 RT



Unit Condensers & Unit Coolers



Packaged Units

(with heating and free cooling option)

- ◆ Air Cooled Package Unit (APC Type) Range: 4 to 100 RT



- ◆ Remote Air Cooled Package Unit (RPC Type) Range: 4 to 100 RT



PABR Series Packages

- ◆ Range: 5 , 10 , 20 & 30 RT



Mega Chiller

- ◆ 130 to 1160 RT



Unit Heaters


- ◆ Range: 28200 - 806600 Btu/Hr






Absorption Chillers

- ◆ Direct-Fired Absorption Chillers (DFC) 40~1100RT (Gas,Oil)
- ◆ Steam-Fired Absorption Chillers (SFC) 100~1400RT



Below Zero Chiller



- ◆ Range: 75-780RT

Air Handling & Air Washer Units

- ◆ Model: AHU& AW Range: 2000~65000CFM & any customized models



Liquid Chillers

- ◆ Remote Air Cooled Liquid Chillers Range: 5~1280RT



- ◆ Water Cooled Liquid Chillers Range of 5~1280RT



- ◆ Compact Air Cooled Liquid Chillers Range: 5~1280RT



X Series Chiller

- ◆ Range: 20~30RT



V Series Chiller

- ◆ Range: 40~100RT





HEAD OFFICE: No. 17 - ZOHREH St. - MOFATTEH Ave.
TEHRAN 15-888-36981 IRAN
CENTRAL SHOWROOM: No. 92, MOFATEH Ave.
TEHRAN 15-818-65755 IRAN
MANUFACTURING CORPORATION: SALIMI Industrial Zone -
TABRIZ - IRAN

دفتر فروش مرکزی: تهران ۱۵-۸۸۸-۳۶۸۱ - خیابان مفتاح شمالی
خیابان زهره - شماره ۱۷
کارخانجات تولیدی: تبریز - شهرک صنعتی شهید سلیمی
نمایشگاه و فروشگاه مرکزی: تهران ۱۵-۸۱۸-۶۵۷۵۵
خیابان مفتاح جنوبی - شماره ۹۲

TEL: +9821- 88300801

FAX: +9821 - 88304147



۰۲۱- ۸۳۶۴



این قسمت را با بارکدخوان موبایل اسکن کنید!



برای دریافت اطلاعات کامل به همراه بروشورهای هر یک از محصولات می توانید به سایت رسمی کارخانجات تولیدی شرکت

مراجعه نمایید. WWW.MEHRASL.IR به آدرس اینترنتی **مهراصل**