



Home Appliances producer

**Central Office:** Donar Co, Atlas Closed, Shahid Bakeri Blv, Elgoli Rd, Tabriz-Iran

**Post Box:** 51385-3336

**Head Office-Sales:** (+98 41) 3133

**Factory Tel:** (+9841) 34204914

**Postal Code:** 5168667889

**Factory Fax:** (+9841) 34204920

## HISTORY OF THE COMPANY



Donar Khazar has been established since 1996 with lots of experiences regarding to produce oil, gas and electrical home appliance which have been obtained within a quarter of century's attempt in donar khazar company.

In addition to traditional products donar khazar try to take efficient measures along optimizing energy consumption & environment protection by using new technology experienced experts and installing modern machines and equipment's. Mean time our products include: single door, double door and side by side freezer refrigerator, space gas heaters, fire show space gas heaters, evaporative water coolers, split air conditioners, stand tank gas water heaters, and wall mounted water heaters, and domestic's washing machines. Our main power point to have superiority over local and foreign products which has obtained both national standards and international certificate guarantees had been our products high quality that could be approved by our products widespread in domestic either foreign markets. Also wide distribution net includes more than 650 service centers all over the Iran make customers assured.

Finally wish to be along with you accordance to our last target which will be remaining any time.





A SENSE OF FRESHNESS




Refrigerator & Freezer

DF380A - DR425 AH

Refrigerator & Freezer

D21



		Refrigerator	Freezer
<b>Total Capacity</b>	(Lit)	448	343
<b>Total Useful Volume</b>	(Lit)	397	205
<b>Refrigerator Useful Volume</b>	(Lit)	397	---
<b>Freezer Useful Volume</b>	(Lit)	---	205
<b>Rated Current</b>	(A)	0.4-0.6	0.5-0.7
<b>Rating</b>	(Hz-V)	220-50	220-50
<b>Rated Input</b>	(W)	125	158
<b>Refrigerant</b>	---	R134a	R134a
<b>Climate Class</b>	---	N	N
<b>Unpacked Dimension</b>	(mm)	650×727×1882	650×727×1882
<b>Packed Dimension</b>	(mm)	675×735×1900	675×735×1900
<b>Net Weight</b>	(Kg)	80	90
<b>Gross Weight</b>	(Kg)	85	95






DFR650T / NOBEL

Refrigerator & Freezer

DT32



Features


<b>Total Capacity</b>	(Lit)	540	<b>Refrigerant</b>	---	R134a
<b>Total Useful Volume</b>	(Lit)	509	<b>Climate Class</b>	---	N
<b>Refrigerator Useful Volume</b>	(Lit)	371	<b>Unpacked Dimension</b>	(mm)	850×715×1800
<b>Freezer Useful Volume</b>	(Lit)	138	<b>Packed Dimension</b>	(mm)	885×750×1825
<b>Rated Current</b>	(A)	0.7-0.9	<b>Net Weight</b>	(Kg)	98
<b>Rating</b>	(Hz-V)	220-50	<b>Gross Weight</b>	(Kg)	105
<b>Rated Input</b>	(W)	170			



DFR 650 / ROYAL

Refrigerator & Freezer

D32




Features

<b>Total Capacity</b>	(Lit)	540	<b>Refrigerant</b>	---	R134a
<b>Total Useful Volume</b>	(Lit)	509	<b>Climate Class</b>	---	N
<b>Refrigerator Useful Volume</b>	(Lit)	371	<b>Unpacked Dimension</b>	(mm)	850×715×1800
<b>Freezer Useful Volume</b>	(Lit)	138	<b>Packed Dimension</b>	(mm)	885×750×1825
<b>Rated Current</b>	(A)	0.7-0.9	<b>Net Weight</b>	(Kg)	98
<b>Rating</b>	(Hz-V)	220-50	<b>Gross Weight</b>	(Kg)	105
<b>Rated Input</b>	(W)	170			

DFR 650H

Refrigerator & Freezer

DHN32




Features

<b>Total Capacity</b>	(Lit)	540	<b>Refrigerant</b>	---	R134a
<b>Total Useful Volume</b>	(Lit)	509	<b>Climate Class</b>	---	N
<b>Refrigerator Useful Volume</b>	(Lit)	371	<b>Unpacked Dimension</b>	(mm)	850×715×1800
<b>Freezer Useful Volume</b>	(Lit)	138	<b>Packed Dimension</b>	(mm)	885×750×1825
<b>Rated Current</b>	(A)	0.7-0.9	<b>Net Weight</b>	(Kg)	98
<b>Rating</b>	(Hz-V)	220-50	<b>Gross Weight</b>	(Kg)	105
<b>Rated Input</b>	(W)	170			

DRF400 AH

Refrigerator & Freezer

DN23



Features

<b>Total Capacity</b>	(Lit)	398	<b>Refrigerant</b>	---	R134a
<b>Total Useful Volume</b>	(Lit)	325	<b>Climate Class</b>	---	N
<b>Refrigerator Useful Volume</b>	(Lit)	210	<b>Unpacked Dimension</b>	(mm)	650×727×1950
<b>Freezer Useful Volume</b>	(Lit)	115	<b>Packed Dimension</b>	(mm)	675×735×1980
<b>Rated Current</b>	(A)	0.5-0.7	<b>Net Weight</b>	(Kg)	95
<b>Rating</b>	(Hz-V)	220-50	<b>Gross Weight</b>	(Kg)	100
<b>Rated Input</b>	(W)	158			



Common Features



Refrigerator



9



Quick Freez



freezer


		Refrigerator	Freezer
<b>Total Capacity</b>	(Lit)	448	356
<b>Total Useful Volume</b>	(Lit)	397	250
<b>Refrigerator Useful Volume</b>	(Lit)	397	---
<b>Freezer Useful Volume</b>	(Lit)	---	250
<b>Rated Current</b>	(A)	0.4-0.6	0.5-0.7
<b>Rating</b>	(Hz-V)	220-50	220-50
<b>Rated Input</b>	(W)	125	158
<b>Refrigerant</b>	---	R134a	R134a
<b>Climate Class</b>	---	N	N
<b>Unpacked Dimension</b>	(mm)	650×727×1882	650×727×1882
<b>Packed Dimension</b>	(mm)	675×735×1900	675×735×1900
<b>Net Weight</b>	(Kg)	80	88
<b>Gross Weight</b>	(Kg)	85	93



DF 290 - DR 366

Refrigerator & Freezer

D17



		Refrigerator	Freezer
<b>Total Capacity</b>	(Lit)	377	306
<b>Total Useful Volume</b>	(Lit)	355	215
<b>Refrigerator Useful Volume</b>	(Lit)	355	---
<b>Freezer Useful Volume</b>	(Lit)	---	215
<b>Rated Current</b>	(A)	0.4-0.6	0.5-0.7
<b>Rating</b>	(Hz-V)	220-50	220-50
<b>Rated Input</b>	(W)	125	158
<b>Refrigerant</b>	---	R134a	R134a
<b>Climate Class</b>	---	N	N
<b>Unpacked Dimension</b>	(mm)	650×640×1740	650×640×1740
<b>Packed Dimension</b>	(mm)	680×670×1780	680×670×1780
<b>Net Weight</b>	(Kg)	66.5	67.5
<b>Gross Weight</b>	(Kg)	71	72



DFR340D

Refrigerator & Freezer

D17



Features

<b>Total Capacity</b>	(Lit)	336	<b>Refrigerant</b>	---	R134a
<b>Total Useful Volume</b>	(Lit)	312	<b>Climate Class</b>	---	N
<b>Refrigerator Useful Volume</b>	(Lit)	239	<b>Unpacked Dimension</b>	(mm)	650×640×1710
<b>Freezer Useful Volume</b>	(Lit)	73	<b>Packed Dimension</b>	(mm)	680×670×1780
<b>Rated Current</b>	(A)	0.4-0.6	<b>Net Weight</b>	(Kg)	69
<b>Rating</b>	(Hz-V)	220-50	<b>Gross Weight</b>	(Kg)	73.5
<b>Rated Input</b>	(W)	125			



DFR340U

Refrigerator & Freezer

D17



Features

<b>Total Capacity</b>	(Lit)	336	<b>Refrigerant</b>	---	R134a
<b>Total Useful Volume</b>	(Lit)	312	<b>Climate Class</b>	---	N
<b>Refrigerator Useful Volume</b>	(Lit)	239	<b>Unpacked Dimension</b>	(mm)	650×640×1710
<b>Freezer Useful Volume</b>	(Lit)	73	<b>Packed Dimension</b>	(mm)	680×670×1780
<b>Rated Current</b>	(A)	0.4-0.6	<b>Net Weight</b>	(Kg)	69
<b>Rating</b>	(Hz-V)	220-50	<b>Gross Weight</b>	(Kg)	73.5
<b>Rated Input</b>	(W)	125			

DFR340H

Refrigerator & Freezer D17



Features

Vaccine Refrigerator, For The Ministry Of Health

<b>Total Capacity</b>	(Lit)	336	<b>Refrigerant</b>	---	R134a
<b>Total Useful Volume</b>	(Lit)	312	<b>Climate Class</b>	---	N
<b>Refrigerator Useful Volume</b>	(Lit)	239	<b>Unpacked Dimension</b>	(mm)	650×640×1740
<b>Freezer Useful Volume</b>	(Lit)	73	<b>Packed Dimension</b>	(mm)	680×670×1780
<b>Rated Current</b>	(A)	0.4-0.6	<b>Net Weight</b>	(Kg)	69/5
<b>Rating</b>	(Hz-V)	220-50	<b>Gross Weight</b>	(Kg)	74
<b>Rated Input</b>	(W)	125			







DWMD84-03

Full Automatic Washing Machines



<b>Capacity</b>	(dry fabric/Kg)	8	<b>Water Inlet</b>	---	Cold
<b>Spin Speed</b>	rpm	1400	<b>Packed Dimension</b>	(mm)	650×650×900
<b>Rating</b>	V	220-240	<b>Unpacked Dimension</b>	(mm)	600×620×850
<b>Frequency</b>	Hz	50	<b>Net Weight</b>	(Kg)	65
<b>Thermostat</b>	---	Adjustable			



DWMD84-05

Full Automatic Washing Machines



<b>Capacity</b>	(dry fabric/Kg)	8	<b>Water Inlet</b>	---	Cold
<b>Spin Speed</b>	rpm	1400	<b>Packed Dimension</b>	(mm)	650×650×900
<b>Rating</b>	V	220-240	<b>Unpacked Dimension</b>	(mm)	600×620×850
<b>Frequency</b>	Hz	50	<b>Net Weight</b>	(Kg)	65
<b>Thermostat</b>	---	Adjustable			

DTWM 7

Twin - Tub Washing Machines



<b>Washing Capacity</b>	(Kg)	6.8	<b>Width</b>	(mm)	440
<b>Spin Capacity</b>	(Kg)	6	<b>Height</b>	(mm)	840
<b>Rating</b>	V	220	<b>Packed Dimension</b>	(mm)	775×460×865
<b>Frequency</b>	Hz	50	<b>Net Weight</b>	(Kg)	22
<b>Length</b>	(mm)	770	<b>Gross Weight</b>	(Kg)	24

DTWM 10

Twin - Tub Washing Machines



<b>Washing Capacity</b>	(Kg)	9.5	<b>Width</b>	(mm)	470
<b>Spin Capacity</b>	(Kg)	8	<b>Height</b>	(mm)	960
<b>Rating</b>	V	220	<b>Packed Dimension</b>	(mm)	880×520×990
<b>Frequency</b>	Hz	50	<b>Net Weight</b>	(Kg)	24
<b>Length</b>	(mm)	840	<b>Gross Weight</b>	(Kg)	26



DDM316-01

Dishwasher



<b>Capacity</b>	Number	15	<b>Packed Dimension</b>	(mm)	885×650×650
<b>Water consumption per wash</b>	(Lit)	10	<b>Unpacked Dimension</b>	(mm)	845×600×600
<b>Number Of Baskets</b>	---	3	<b>Gross Weight</b>	(Kg)	50
<b>Program Number</b>	---	8	<b>Net Weight</b>	(Kg)	47

DEC 3400 R

Water Cooler

<b>Electro Motor Voltage</b>	V	220	<b>Coating</b>	---	Electro Static Powder
<b>Electro Pump Voltage</b>	V	220	<b>Outlet Blowing DIM</b>	(mm)	420×220
<b>Electro Motor Power</b>	hp	1/6	<b>Type Of Sheet</b>	---	Galvanized
<b>Electro Pump Power</b>	hp	1/60	<b>Unpacked Dimension</b>	(mm)	680×530×725
<b>Electro Motor Frequency</b>	Hz	50	<b>Net Weight</b>	(Kg)	32
<b>Electro Pump Frequency</b>	Hz	50	<b>Gross Weight</b>	(Kg)	34
<b>Aeration Capacity</b>	m <sup>3</sup> /h	1800			



DEC3400

Water Cooler



DEC2800 R

Water Cooler



Electro Motor Voltage	V	220	Coating	---	Electro Static Powder
Electro Pump Voltage	V	220	Outlet Blowing DIM	(mm)	420×220
Electro Motor Power	hp	1/6	Type Of Sheet	---	Galvanized
Electro Pump Power	hp	1/60	Unpacked Dimension	(mm)	680×530×725
Electro Motor Frequency	Hz	50	Net Weight	(Kg)	32
Electro Pump Frequency	Hz	50	Gross Weight	(Kg)	34
Aeration Capacity	m <sup>3</sup> /h	1800			

Electro Motor Voltage	V	220	Coating	---	Electro Static Powder
Electro Pump Voltage	V	220	Outlet Blowing DIM	(mm)	175×220
Electro Motor Power	hp	1/8	Type Of Sheet	---	Galvanized
Electro Pump Power	hp	1/60	Unpacked Dimension	(mm)	500×500×520
Electro Motor Frequency	Hz	50	Net Weight	(Kg)	20
Electro Pump Frequency	Hz	50	Gross Weight	(Kg)	22
Aeration Capacity	m <sup>3</sup> /h	1020			





DEC2800

Water Cooler



Electro Motor Voltage	V	220	Coating	---	Electro Static Powder
Electro Pump Voltage	V	220	Outlet Blowing DIM	(mm)	175×220
Electro Motor Power	hp	1/8	Type Of Sheet	---	Galvanized
Electro Pump Power	hp	1/60	Unpacked Dimension	(mm)	500×500×520
Electro Motor Frequency	Hz	50	Net Weight	(Kg)	20
Electro Pump Frequency	Hz	50	Gross Weight	(Kg)	22
Aeration Capacity	m <sup>3</sup> /h	1020			



DEC7500

Water Cooler



Electro Motor Voltage	V	220	Coating	---	Electro Static Powder
Electro Pump Voltage	V	220	Outlet Blowing DIM	(mm)	530×535
Electro Motor Power	hp	3/4	Type Of Sheet	---	Galvanized
Electro Pump Power	hp	1/60	Type Of Bearing	---	1Inch %100 Phosphor Bronze
Electro Motor Frequency	Hz	50	Unpacked Dimension	(mm)	860×860×1130
Electro Pump Frequency	Hz	50	Net Weight	(Kg)	80
Aeration Capacity	m <sup>3</sup> /h	7500	Gross Weight	(Kg)	81.5



DEC 6000

Water Cooler



<b>Electro Motor Voltage</b>	V	220	<b>Coating</b>	---	Electro Static Powder
<b>Electro Pump Voltage</b>	V	220	<b>Outlet Blowing DIM</b>	(mm)	485×475
<b>Electro Motor Power</b>	hp	1/2	<b>Type Of Sheet</b>	---	Galvanized
<b>Electro Pump Power</b>	hp	1/60	<b>Type Of Bearing</b>	---	1Inch %100 Phosphor Bronze
<b>Electro Motor Frequency</b>	Hz	50	<b>Unpacked Dimension</b>	(mm)	860×860×1000
<b>Electro Pump Frequency</b>	Hz	50	<b>Net Weight</b>	(Kg)	70
<b>Aeration Capacity</b>	m <sup>3</sup> /h	6000	<b>Gross Weight</b>	(Kg)	71.5



DEC4000

Water Cooler



<b>Electro Motor Voltage</b>	V	220	<b>Coating</b>	---	Electro Static Powder
<b>Electro Pump Voltage</b>	V	220	<b>Outlet Blowing DIM</b>	(mm)	345×345
<b>Electro Motor Power</b>	hp	1/3	<b>Type Of Sheet</b>	---	Galvanized
<b>Electro Pump Power</b>	hp	1/60	<b>Type Of Bearing</b>	---	3/4 inch %100 Phosphor Bronze
<b>Electro Motor Frequency</b>	Hz	50	<b>Unpacked Dimension</b>	(mm)	730×730×830
<b>Electro Pump Frequency</b>	Hz	50	<b>Net Weight</b>	(Kg)	45
<b>Aeration Capacity</b>	m <sup>3</sup> /h	4000	<b>Gross Weight</b>	(Kg)	46

DSW 165 A

Stand Gas Water Heater



<b>Fuel Type</b>	---	NG.LPG	<b>Pressure Of Input Gas</b>	mmH2O	200
<b>Total Capacity</b>	(Lit)	165	<b>Height</b>	(mm)	1820
<b>Test Pressure</b>	atm	21	<b>Dimension</b>	(mm)	610×1820
<b>Coating</b>	---	Electro Static Powder	<b>Power</b>	Kcal/h	7000
<b>Type Of Body Sheet</b>	---	ST 13-14	<b>Working Pressure</b>	Bar	6
<b>Type Of Tank Sheet</b>	(mm)	3-4 Galvanized	<b>Net Weight</b>	(Kg)	104.5-98.4
<b>Nozzle</b>	(mm)	NG 2.2 . LPG 1.5	<b>Gross Weight</b>	(Kg)	107-99.8





DSW 130 A

Stand Gas Water Heater



<b>Fuel Type</b>	---	NG.LPG	<b>Pressure Of Input Gas</b>	mmH2O	200
<b>Total Capacity</b>	(Lit)	130	<b>Height</b>	(mm)	1650
<b>Test Pressure</b>	atm	21	<b>Dimension</b>	(mm)	550×1650
<b>Coating</b>	---	Electro Static Powder	<b>Power</b>	Kcal/h	5500
<b>Type Of Body Sheet</b>	---	ST 13-14	<b>Working Pressure</b>	Bar	6
<b>Type Of Tank Sheet</b>	(mm)	2.5 Galvanized	<b>Net Weight</b>	(Kg)	67
<b>Nozzle</b>	(mm)	NG 1.8 , LPG 1.2	<b>Gross Weight</b>	(Kg)	69



DSW 165 B

Stand Gas Water Heater



<b>Fuel Type</b>	---	NG.LPG	<b>Pressure Of Input Gas</b>	mmH2O	200
<b>Total Capacity</b>	(Lit)	165	<b>Height</b>	(mm)	1820
<b>Test Pressure</b>	atm	21	<b>Dimension</b>	(mm)	1820×545×665
<b>Coating</b>	---	Electro Static Powder	<b>Power</b>	Kcal/h	7000
<b>Type Of Body Sheet</b>	---	ST 13-14	<b>Working Pressure</b>	Bar	6
<b>Type Of Tank Sheet</b>	(mm)	4.3 Galvanized	<b>Net Weight</b>	(Kg)	114-99.6
<b>Nozzle</b>	(mm)	NG 2.2 , LPG 1.5	<b>Gross Weight</b>	(Kg)	115-101

DSW50A

Stand Gas Water Heater



<b>Fuel Type</b>	---	NG.LPG	<b>Pressure Of Input Gas</b>	mmH2O	200
<b>Total Capacity</b>	(Lit)	50	<b>Height</b>	(mm)	1420
<b>Test Pressure</b>	atm	21	<b>Dimension</b>	(mm)	480×1420
<b>Coating</b>	---	Electro Static Powder	<b>Power</b>	Kcal/h	5500
<b>Type Of Body Sheet</b>	---	ST 13-14	<b>Working Pressure</b>	Bar	6
<b>Type Of Tank Sheet</b>	(mm)	2.5 Galvanized	<b>Net Weight</b>	(Kg)	42.5
<b>Nozzle</b>	(mm)	NG 1.8 , LPG 1.2	<b>Gross Weight</b>	(Kg)	44

DEW 100 A


Electrical Water Heater



<b>Rating</b>	V	220-240	<b>Rated Current</b>	(A)	8
<b>Total Capacity</b>	(Lit)	100	<b>Power</b>	(W)	2000
<b>Useful Volume</b>	(Lit)	85	<b>Working Pressure</b>	Bar	6
<b>Test Pressure</b>	atm	14	<b>Unpacked Dimension</b>	(mm)	485×905
<b>Coating</b>	---	Electro Static Powder	<b>Packed Dimension</b>	(mm)	490×460×930
<b>Type Of Body Sheet</b>	---	ST 13-14	<b>Net Weight</b>	(Kg)	34
<b>Type Of Tank Sheet</b>	---	Hot-Dip Galvanizing	<b>Gross Weight</b>	(Kg)	37
<b>Isulation Pressure</b>	---	Polyurethane Thermal Insulation			

DEW 80 A

Electrical water Heater



<b>Rating</b>	V	220-240	<b>Rated Current</b>	A	8
<b>Total Capacity</b>	Lit	80	<b>Power</b>	V	2000
<b>Useful Volume</b>	Lit	65	<b>Working Pressure</b>	Bar	6
<b>Test Pressure</b>	atm	14	<b>Unpacked Dimension</b>	mm	485 × 755
<b>Coating</b>	----	Electro Static Powder	<b>Packed Dimension</b>	mm	490 × 460 × 790
<b>Type Of Body Sheet</b>	----	ST 13-14	<b>Net Weight</b>	Kg	30.5
<b>Type Of Tank Sheet</b>	----	Hot-Dip Galvanizing	<b>Gross Weight</b>	Kg	32.5
<b>Isulation Pressure</b>	Polyurethane Thermal Insulation				

DEW 60 A

Electrical water Heater



<b>Rating</b>	V	220-240	<b>Rated Current</b>	A	8
<b>Total Capacity</b>	Lit	60	<b>Power</b>	V	2000
<b>Useful Volume</b>	Lit	45	<b>Working Pressure</b>	Bar	6
<b>Test Pressure</b>	atm	14	<b>Unpacked Dimension</b>	mm	485 × 590
<b>Coating</b>	----	Electro Static Powder	<b>Packed Dimension</b>	mm	490 × 460 × 610
<b>Type Of Body Sheet</b>	----	ST 13-14	<b>Net Weight</b>	Kg	24.5
<b>Type Of Tank Sheet</b>	----	Hot-Dip Galvanizing	<b>Gross Weight</b>	Kg	26.5
<b>Isulation Pressure</b>	Polyurethane Thermal Insulation				







DFP 34000

Fire Place

<b>Fuel Type</b>	---	NG	<b>Width</b>	(mm)	380
<b>Pressure Of Input Gas</b>	mmH <sub>2</sub> O	178	<b>Height</b>	(mm)	820
<b>Power</b>	Kcal/h	6000	<b>Packed Dimension</b>	(mm)	1035×400×860
<b>Nozzle</b>	(mm)	NG 2	<b>Net Weight</b>	(Kg)	40
<b>Length</b>	(mm)	1020	<b>Gross Weight</b>	(Kg)	44





DGH 12000 M

Gas Heater



<b>Fuel Type</b>	---	NG	<b>Width</b>	(mm)	305
<b>Pressure Of Input Gas</b>	mmH <sub>2</sub> O	178	<b>Height</b>	(mm)	710
<b>Power</b>	Kcal/h	6000	<b>Packed Dimension</b>	(mm)	845×316×755
<b>Nozzle</b>	(mm)	NG 2	<b>Net Weight</b>	(Kg)	26/5
<b>Length</b>	(mm)	830	<b>Gross Weight</b>	(Kg)	29



DGH 8000 M

Gas Heater



<b>Fuel Type</b>	---	NG	<b>Width</b>	(mm)	305
<b>Pressure Of Input Gas</b>	mmH <sub>2</sub> O	178	<b>Height</b>	(mm)	710
<b>Power</b>	Kcal/h	5000	<b>Packed Dimension</b>	(mm)	570×310×755
<b>Nozzle</b>	(mm)	NG 1.8	<b>Net Weight</b>	(Kg)	17
<b>Length</b>	(mm)	550	<b>Gross Weight</b>	(Kg)	20





DGH 600 HD

Hermetic Gas Heater



<b>Fuel Type</b>	---	NG	<b>Unpacked Dimension</b> (mm)	700×215×630
<b>Pressure Of Input Gas</b>	mmH <sub>2</sub> O	178	<b>Packed Dimension</b> (mm)	720×230×645
<b>Power</b>	Kcal/h	6000	<b>Net Weight</b> (mm)	22
<b>Nozzle</b>	(mm)	NG 1.8	<b>Gross Weight</b> (Kg)	24



DGH 14000 U

Gas Heater



<b>Fuel Type</b>	---	NG	<b>Width</b> (mm)	280
<b>Pressure Of Input Gas</b>	mmH <sub>2</sub> O	178	<b>Height</b> (mm)	710
<b>Power</b>	Kcal/h	6000	<b>Packed Dimension</b> (mm)	800×310×745
<b>Nozzle</b>	(mm)	NG 2	<b>Net Weight</b> (Kg)	25
<b>Length</b>	(mm)	780	<b>Gross Weight</b> (Kg)	27.5



DGH16000 S

Gas Heater



<b>Fuel Type</b>	---	NG	<b>Width</b>	(mm)	310
<b>Pressure Of Input Gas</b>	mmH2O	178	<b>Height</b>	(mm)	710
<b>Power</b>	Kcal/h	6000	<b>Packed Dimension</b>	(mm)	800×310×745
<b>Nozzle</b>	(mm)	NG 2	<b>Net Weight</b>	(Kg)	25
<b>Length</b>	(mm)	780	<b>Gross Weight</b>	(Kg)	27/5



DGH6000 N

Gas Heater



<b>Fuel Type</b>	---	NG	<b>Width</b>	(mm)	305
<b>Pressure Of Input Gas</b>	mmH2O	178	<b>Height</b>	(mm)	710
<b>Power</b>	Kcal/h	5000	<b>Packed Dimension</b>	(mm)	490×310×755
<b>Nozzle</b>	(mm)	NG 1.5	<b>Net Weight</b>	(Kg)	15
<b>Length</b>	(mm)	460	<b>Gross Weight</b>	(Kg)	17

DGH 8000 U

Gas Heater



<b>Fuel Type</b>	---	NG	<b>Width</b>	(mm)	280
<b>Pressure Of Input Gas</b>	mmH2O	178	<b>Height</b>	(mm)	685
<b>Power</b>	Kcal/h	5000	<b>Packed Dimension</b>	(mm)	540×310×730
<b>Nozzle</b>	(mm)	NG 1.8	<b>Net Weight</b>	(Kg)	17
<b>Length</b>	(mm)	520	<b>Gross Weight</b>	(Kg)	19